

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : TUBALL MATRIX 302

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Additive

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet ►

Europe: OCSiAI Europe S.a.r.l. L-3364, Leudelange, 1, rue de la Poudrerie, Grand Duchy of Luxembourg T +352 27 99 03 73 09.00-17.00 GMT+2 europe@ocsial.com	USA: OCSiAI LLC 500 S Front St., Suite 860, Columbus, OH 43215, USA T +1 415 906 5271 09.00-17.00 GMT-4 usa@ocsial.com	Asia: OCSiAI Asia Pacific Co., Ltd. Office 208, Pilot Plant Bldg., Incheon Technopark 12 Gaetbeol-ro, Yeonsu-gu, Incheon, 406-840 Republic of Korea T +82 32 260 0407 09.00-17.00 GMT+9 asiapacific@ocsial.com	China: OCSiAI Hong Kong Limited No. 1102, 11/F, Lippo Sun Plaza, 28 Canton Road, Tsim Sha Tsui, Kowloon, Hong Kong T +852 3575 3943 09:00-17:00; GMT+8 china@ocsial.com	India: OCSiAI PRIVATE LIMITED A504 Universal BusinessPark, Ansa Industrial Estate, Chandivali, Andheri (E) Mumbai 400072 T +91 22 4120 8615 09:00-17:00; GMT+5.5 india@ocsial.com
---	---	---	---	---

1.4. Emergency telephone number ►

Europe: +352 27 99 03 73 09.00-17.00; GMT+2	USA: +1 415 906 5271 09.00-17.00; GMT-4	Asia: +82 32 260 0407 09.00-17.00; GMT+9	China: +852 3575 3943 09:00-17:00; GMT+8	India: +91 22 4120 8615 09:00-17:00; GMT+5.5
---	---	--	--	--

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

2.2. Label elements ►

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning
Hazard statements (CLP) : H319 - Causes serious eye irritation.
Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling.
P280 - Wear eye protection, protective gloves, protective clothing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

TUBALL MATRIX 302

Safety Data Sheet

according to Regulation (EU) 2015/830

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alkylene glycol derivative	Trade secret	70	Not classified
Disodium 2,2'-([1,1'-biphenyl]-4,4'-diyldivinylen)bis(benzenesulphonate)	(CAS-No.) 27344-41-8	20	Eye Irrit. 2, H319
Single wall carbon nanotubes*	(CAS-No.) Not available (EC-No.) 943-098-9 (REACH-No.) 01-2120130006-75-0000	10	Eye Irrit. 2, H319

* Single wall carbon nanotubes TUBALL™

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures ►

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get medical attention.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Wash with plenty of soap and water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed ►

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause moderate irritation, including burning sensation, tearing, redness or swelling.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Gastrointestinal complaints. Diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media ►

Suitable extinguishing media	: Powder, Alcohol-resistant foam, Water spray, Carbon dioxide (CO ₂).
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture ►

Fire hazard	: Under fire conditions, hazardous fumes will be present.
Hazardous decomposition products in case of fire	: Carbon dioxide. Carbon monoxide. Nitrogen oxides. Sulphur oxides.

5.3. Advice for firefighters ►

Protection during firefighting	: Full face mask. Positive pressure self-contained breathing apparatus (SCBA).
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Wear suitable protective clothing.
Emergency procedures	: Ensure adequate ventilation. Evacuate area.

6.1.2. For emergency responders

Protective equipment	: Wear suitable protective clothing, gloves and eye/face protection. In case of fire: Wear self-contained breathing apparatus.
Emergency procedures	: Provide adequate ventilation. Evacuate area. Avoid inhalation of vapours.

6.2. Environmental precautions ►

Do not allow to enter into surface water or drains. Collect contaminated extinguishing water separately and must not enter the sewage system.

6.3. Methods and material for containment and cleaning up ►

For containment	: Clean spills promptly. Ventilate affected area. Stop leak if safe to do so.
-----------------	---

TUBALL MATRIX 302

Safety Data Sheet

according to Regulation (EU) 2015/830

Methods for cleaning up : Clear up rapidly by scoop or vacuum. Collect in closed container and remove to a safe place for disposal by burning.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing. Carry out operations in the open/under local exhaust/ventilation or with respiratory protection. Avoid breathing dust, fume. To prevent thermal burns avoid contact with hot product.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities ►

Storage conditions : Store in dry, well-ventilated area. Store at ambient temperature. Keep container tightly closed. Protect from sunlight.

Maximum storage period : 1 year

Storage temperature : -40 / +40 °C

Heat and ignition sources : Keep away from open flames, hot surfaces and sources of ignition.

Information on mixed storage : Store away from water (including sewage plant).

Special rules on packaging : Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Alkylene glycol derivative

Croatia - Occupational Exposure Limits

Local name	Propane-1,2-diol
GVI (granična vrijednost izloženosti) (mg/m ³)	474 mg/m ³ ukupno pare i čestice 10 mg/m ³ samo čestice
GVI (granična vrijednost izloženosti) (ppm)	150 ppm ukupno pare i čestice
Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN 91/2018)

Ireland - Occupational Exposure Limits

Local name	Propane-1,2-diol [Propylene glycol]
OEL (8 hours ref) (mg/m ³)	470 mg/m ³ total (vapour and particulates) 10 mg/m ³ particulates
OEL (8 hours ref) (ppm)	150 ppm total (vapour and particulates)
Regulatory reference	Chemical Agents Code of Practice 2020

Latvia - Occupational Exposure Limits

Local name	Propilēnglikols (1,2-propāndiols)
OEL TWA (mg/m ³)	7 mg/m ³
Regulatory reference	Ministru kabineta 2007. gada 15. maija noteikumiem Nr. 325

Lithuania - Occupational Exposure Limits

Local name	Propilenglikolis
IPRV (mg/m ³)	7 mg/m ³
Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011 (Nr. V-695/A1-272, 2018-06-12)

TUBALL MATRIX 302

Safety Data Sheet

according to Regulation (EU) 2015/830

Alkylene glycol derivative	
Poland - Occupational Exposure Limits	
Local name	Propano-1,2-diol
NDS (mg/m ³)	100 mg/m ³ pary i frakcja wdychalna
Remark (PL)	Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.
Regulatory reference	Dz. U. 2018 poz. 1286
Norway - Occupational Exposure Limits	
Local name	Propan-1,2-diol
Grenseverdier (AN) (mg/m ³)	79 mg/m ³
Grenseverdier (AN) (ppm)	25 ppm
Regulatory reference	FOR-2018-08-21-1255
Alkylene glycol derivative	
DNEL/DMEL (Workers)	
Long-term - systemic effects, inhalation	168 mg/m ³
Long-term - local effects, inhalation	10 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, inhalation	50 mg/m ³
Long-term - local effects, inhalation	10 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	260 mg/l
PNEC aqua (marine water)	26 mg/l
PNEC aqua (intermittent, freshwater)	183 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	572 mg/kg dwt
PNEC sediment (marine water)	57.2 mg/kg dwt
PNEC (Soil)	
PNEC soil	50 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	1133 mg/kg
PNEC (STP)	
PNEC sewage treatment plant	20000 mg/l

8.2. Exposure controls ►

Personal protective equipment:

Gloves. Protective clothing. Safety glasses.

Hand protection:

Wear suitable gloves. Use neoprene or rubber gloves. EN 374

Eye protection:

Chemical goggles or safety glasses. EN 166

Skin and body protection:

Protective clothing (with elasticated cuffs and closed neck). EN 14605

TUBALL MATRIX 302

Safety Data Sheet

according to Regulation (EU) 2015/830

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Selection of respiratory protection must be based on the result of the risk assessment

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties ►

Physical state	: Solid
Appearance	: Flakes. Pasty.
Colour	: Black. White inclusions permissible.
Odour	: Odourless.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: < -60 °C
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.056 g/ml
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive.
Oxidising properties	: Non oxidizing.
Explosive limits	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials ►

Strong oxidizing agents. Strong bases. Strong acids. Isocyanates.

10.6. Hazardous decomposition products

Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases. Nitrogen oxides. Sulphur oxides.

TUBALL MATRIX 302

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 11: Toxicological information

11.1. Information on toxicological effects ►

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Alkylene glycol derivative	
LD50 oral rat	22500 mg/kg
LD50 dermal rabbit	20800 mg/kg

Disodium 2,2'-([1,1'-biphenyl]-4,4'-diyldivinylene)bis(benzenesulphonate)	
LD50 oral rat	> 2000 mg/kg - OECD 401
LD50 dermal rat	> 2000 mg/kg - OECD 402

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Causes serious eye irritation.
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not available
Carcinogenicity : Not available
Reproductive toxicity : Not available
STOT-single exposure : Not available
STOT-repeated exposure : Not available
Aspiration hazard : Not available

SECTION 12: Ecological information

12.1. Toxicity ►

Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Not classified

Alkylene glycol derivative	
LC50 fish - 96h	40613 mg/l Oncorhynchus mykiss (Rainbow trout)
EC50 crustacea - 48h	18340 mg/l Ceriodaphnia dubia
EC50 algae - 96h	19000 mg/l Pseudokirchneriella subcapitata
NOEC chronic crustacea	13020 mg/l Ceriodaphnia dubia - 7 days

Disodium 2,2'-([1,1'-biphenyl]-4,4'-diyldivinylene)bis(benzenesulphonate) ►	
LC50 fish - 96h	10 – 100 mg/l Brachydanio rerio (zebra-fish) - OECD 203 - ISO 7346; 84/499/EEC, C.1
EC50 algae - 72h	10 – 100 mg/l (Growth rate) Scenedesmus subspicatus - OECD 201
NOEC (chronic)	> 1 mg/l (Growth rate) Scenedesmus subspicatus - OECD 201
NOEC chronic crustacea	> 1 mg/l Daphnia magna (Water flea) - OECD 211

12.2. Persistence and degradability ►

Alkylene glycol derivative	
Persistence and degradability	Readily biodegradable.

Disodium 2,2'-([1,1'-biphenyl]-4,4'-diyldivinylene)bis(benzenesulphonate)	
Persistence and degradability	Readily biodegradable.
Biochemical oxygen demand (BOD)	0 mg O ₂ /g substance - 5 days
Chemical oxygen demand (COD)	1.507 mg O ₂ /g substance
Biodegradation	> 70 % - OECD 301F

TUBALL MATRIX 302

Safety Data Sheet

according to Regulation (EU) 2015/830

12.3. Bioaccumulative potential ►

Alkylene glycol derivative

Bioconcentration factor (BCF REACH)	0.09
-------------------------------------	------

Disodium 2,2'-([1,1'-biphenyl]-4,4'-diyldivinylene)bis(benzenesulphonate)

Partition coefficient n-octanol/water (Log Pow)	-2.32 - OECD 107
---	------------------

12.4. Mobility in soil ►

Alkylene glycol derivative

Surface tension	71.6 mN/m
-----------------	-----------

12.5. Results of PBT and vPvB assessment

Component

Single wall carbon nanotubes	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
------------------------------	---

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Dispose of this material and its container at hazardous or special waste collection point.
Waste treatment methods	: Disposal through controlled incineration or authorised waste dump.
Sewage disposal recommendations	: Prevent entry to sewers and public waters.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

TUBALL MATRIX 302

Safety Data Sheet

according to Regulation (EU) 2015/830

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations ►

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Ontwikkeling

15.2. Chemical safety assessment ►

For the following substances of this mixture a chemical safety assessment has been carried out

Single wall carbon nanotubes

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration

TUBALL MATRIX 302

Safety Data Sheet

according to Regulation (EU) 2015/830

LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class
Full text of H- and EUH-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H319	Causes serious eye irritation.

- Revision : All recent revision(s) are noted by a bold triangle pointed to right '►'.
- Disclaimer : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. It is the user's responsibility to take mentioned precaution measures and ensure that this information is complete and sufficient for the use of this product.

SDS EU (REACH Annex II) OCSiAI

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.