

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : TUBALL MATRIX 205
Type of product : Nanoform embedded in a matrix

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Industrial use as additive in polymers, resins and/or coatings

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Europe: OCSiAI Europe S.a.r.l. L-3364, Leudelange, 1, rue de la Poudrerie, Grand Duchy of Luxembourg T +352 27 99 03 73 09.00-17.00 GMT+2 europe@ocsial.com	USA: OCSiAI LLC 500 S Front St., Suite 860, Columbus, OH 43215, USA T +1 415 906 5271 09.00-17.00 GMT-4 usa@ocsial.com	Asia: OCSiAI Asia Pacific Co., Ltd. Office 208, Pilot Plant Bldg., Incheon Technopark 12 Gaetbeol-ro, Yeonsu-gu, Incheon, 406-840 Republic of Korea T +82 32 260 0407 09.00-17.00 GMT+9 asiapacific@ocsial.com	China: OCSiAI Hong Kong Limited No. 1102, 11/F, Lippo Sun Plaza, 28 Canton Road, Tsim Sha Tsui, Kowloon, Hong Kong T +852 3575 3946 09:00-17:00; GMT+8 china@ocsial.com	India: VIMAL INTERTRADE PVT LTD. Shivam Centrum, Sahar Road, Koldongri, Above Nexa Showroom, Andheri East, Mumbai – 400 069 T +91 22 6288 4200 09:00-17:00; GMT+5.5 india@ocsial.com
---	---	---	---	---

1.4. Emergency telephone number

EMEA : +44 1865 407333 (English) (Carechem 24)
East/South East Asia : +65 3158 1074 (English, Hindi, Japanese, Korean, Malay, Mandarin) (Carechem 24)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07 GHS09

Signal word (CLP) : Warning
Hazard statements (CLP) : H319 - Causes serious eye irritation.
H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling.
P273 - Avoid release to the environment.
P280 - Wear eye protection, protective gloves, protective clothing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P391 - Collect spillage.

2.3. Other hazards

No additional information available

TUBALL MATRIX 205

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures ►

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Fatty carboxylic acid esters derivatives	Trade Secret	70	Not classified
Polymer	Trade Secret	10 – 14	Not classified
Single wall carbon nanotubes*	(CAS-No.) Not assigned for EU-REACH (EC-No.) 943-098-9 (REACH-No.) 01-2120130006-75-0000	10	Eye Irrit. 2, H319
Alkylolammonium salt	(CAS-No.) 398475-96-2	6 – 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)

Full text of H- and EUH-statements: see section 16

*Single wall carbon nanotubes TUBALL™

Name of (set of) nanoform(s)	Tuball™ - grades 1RW02 / 1RW03 are part of one set of nanoform
Value	-
Number based particle size distribution d10	1.2 - 1.45 nm
d50	1.6 - 1.8 nm
d90	1.9 - 2.2 nm
Shape and aspect ratio of particles	Elongated tubes; length to diameter ratio 2000 – 10000:1
Crystallinity	Amorphous
Surface functionalisation / treatment	No
Process	Chemical vapor deposition (CVD)
Specific surface area	300 – 1500 m ² /g
Additional information	G/D range : ≥ 40 (RAMAN at 532 nm)

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get medical attention.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Wash with plenty of soap and water.
First-aid measures after eye contact	: Get medical attention.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact	: Causes serious eye irritation.
------------------------------------	----------------------------------

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide (CO ₂). Dry chemical. Water spray. Foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

TUBALL MATRIX 205

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible.
Hazardous decomposition products in case of fire : Carbon dioxide (CO₂). Nitrogen oxides. Phosphorus oxides.

5.3. Advice for firefighters

Firefighting instructions : Prevent fire fighting water from entering the environment.
Protection during firefighting : Full face mask. Positive pressure self-contained breathing apparatus (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing.
Emergency procedures : Ensure adequate ventilation. Evacuate area.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye/face protection. In case of fire: Positive pressure self-contained breathing apparatus (SCBA).
Emergency procedures : Provide adequate ventilation. Evacuate area. Avoid inhalation of dust and contact with skin and eyes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Collect contaminated extinguishing water separately and must not enter the sewage system.

6.3. Methods and material for containment and cleaning up

For containment : Clean spills promptly. Ventilate affected area. Stop leak if safe to do so.
Methods for cleaning up : Clear up rapidly by scoop or vacuum. Collect in closed container and remove to a safe place for disposal by burning.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing. Carry out operations in the open/under local exhaust/ventilation or with respiratory protection. Avoid breathing dust, fume.
Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities ►

Storage conditions : Store in dry, well-ventilated area. Store at ambient temperature. Keep container tightly closed.
Storage temperature : -40 / +40 °C
Heat and ignition sources : Keep away from open flames, hot surfaces and sources of ignition.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Single wall carbon nanotubes	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	No hazard identified
Acute - systemic effects, inhalation	Low hazard (no threshold identified)
Acute - local effects, dermal	No hazard identified
Acute - local effects, inhalation	Low hazard (no threshold identified)
Long-term - systemic effects, dermal	No hazard identified
Long-term - local effects, dermal	No hazard identified

TUBALL MATRIX 205

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Long-term - local effects, inhalation	Low hazard (no threshold identified)
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	No hazard identified
Acute - systemic effects, inhalation	Low hazard (no threshold identified)
Acute - systemic effects, oral	No hazard identified
Acute - local effects, dermal	No hazard identified
Acute - local effects, inhalation	No hazard identified
Long-term - systemic effects, dermal	No hazard identified
Long-term - local effects, dermal	No hazard identified
Long-term - local effects, inhalation	No hazard identified
PNEC (Water)	
PNEC aqua (freshwater)	No hazard identified
PNEC aqua (marine water)	No hazard identified
PNEC (Sediment)	
PNEC sediment (freshwater)	No hazard identified
PNEC sediment (marine water)	No hazard identified
PNEC (Soil)	
PNEC soil	No hazard identified
PNEC (Oral)	
PNEC oral (secondary poisoning)	No potential to cause toxic effects if accumulated (in higher organisms) via the food chain
PNEC (STP)	
PNEC sewage treatment plant	No data available: testing technically not feasible

Fatty carboxylic acid esters derivatives

DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	42 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	235 mg/m ³

DNEL/DMEL (General population)

Long-term - systemic effects, oral	2 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	70 mg/m ³
Long-term - systemic effects, dermal	25 mg/kg bodyweight/day

PNEC (Soil)

PNEC soil	44.7 mg/kg dwt
-----------	----------------

8.2. Exposure controls ►

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Safety glasses. Gloves. Protective clothing.

Hand protection:

Chemically resistant protective gloves. EN 374

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves, Disposable gloves	Nitrile rubber (NBR)		0.18		EN 374

Eye protection:

Chemical goggles or safety glasses. EN 166

Skin and body protection:

Protective clothing (with elasticated cuffs and closed neck). EN 14605

Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

TUBALL MATRIX 205

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Device	Filter type	Condition	Standard
Dust mask	Type P2	Dust protection	EN 143, EN 149

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties ►

Physical state	: Solid
Appearance	: Flakes. Pasty.
Colour	: Black.
Odour	: Slight.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive.
Oxidising properties	: Non oxidizing.
Explosive limits	: No data available

Single wall carbon nanotubes

Particle size	See section 3.2
Particle size distribution	See section 3.2
Particle shape	See section 3.2
Particle aspect ratio	See section 3.2
Particle aggregation state	Bundles of nanotubes
Particle agglomeration state	Single wall carbon nanotubes are embedded in a matrix
Particle specific surface area	See section 3.2
Particle dustiness	1660 mg/kg (DIRM - Single wall carbon nanotubes)

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

TUBALL MATRIX 205

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases. Nitrogen oxides. Phosphorus oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Alkylolammonium salt

LD50 oral rat	> 5000 mg/kg
---------------	--------------

Fatty carboxylic acid esters derivatives

LD50 oral rat	> 5000 mg/kg - OECD 423
---------------	-------------------------

LD50 dermal rat	> 2000 mg/kg - OECD 402
-----------------	-------------------------

Skin corrosion/irritation : Slightly irritant but not relevant for classification

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not available (Not classified Single wall carbon nanotubes, Fatty carboxylic acid esters derivatives)

Germ cell mutagenicity : Not available ((Single wall carbon nanotubes, Fatty carboxylic acid esters derivatives) : Not classified)

Carcinogenicity : Not available (Not classified (Single wall carbon nanotubes, Fatty carboxylic acid esters derivatives))

Reproductive toxicity : Not available (Not classified (Single wall carbon nanotubes, Fatty carboxylic acid esters derivatives))

Single wall carbon nanotubes

NOAEL (animal/female, F0/P)	> 1000 mg/kg bw/day - OECD 422
-----------------------------	--------------------------------

NOAEL (animal, F1)	> 1000 mg/kg bw/day - for adverse effects on prenatal development (conceptus to birth) - OECD 422
--------------------	---

NOAEL (animal, F1)	> 1000 mg/kg bw/day - for adverse effects on postnatal development (pup) - OECD 422
--------------------	---

STOT-single exposure : Not available (Not classified (Single wall carbon nanotubes, Fatty carboxylic acid esters derivatives))

STOT-repeated exposure : Not available (Not classified (Single wall carbon nanotubes, Fatty carboxylic acid esters derivatives))

Single wall carbon nanotubes

NOAEL (oral, rat, 90 days)	> 1000 mg/kg bodyweight/day - OECD 422
----------------------------	--

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

Alkylolammonium salt

LC50 fish - 96h	8 mg/l Oncorhynchus mykiss (Rainbow trout) - OECD 203
-----------------	---

ErC50 algae - 72h	> 1 mg/l Pseudokirchneriella subcapitata - OECD 201
-------------------	---

Fatty carboxylic acid esters derivatives

LC50 fish - 96h	> 100 mg/l Brachydanio rerio (zebra-fish) - OECD 203 - ISO 7346 - 84/449/EEC
-----------------	--

EC50 crustacea - 48h	> 100 mg/l Daphnia magna (Water flea) - OECD 202
----------------------	--

EC50 algae - 72h	> 100 mg/l (Growth rate) Scenedesmus subspicatus - OECD 201
------------------	---

NOEC chronic fish	≥ 0.021 mg/l Daphnia magna (Water flea) - OECD 211
-------------------	--

TUBALL MATRIX 205

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.2. Persistence and degradability

Alkylolammonium salt	
Persistence and degradability	Not readily biodegradable.

Fatty carboxylic acid esters derivatives	
Persistence and degradability	Readily biodegradable.
Biodegradation	70 – 80 % - 28 days - OECD 301B - ISO 9439 - 92/69/EEC, C.4-C

12.3. Bioaccumulative potential

Fatty carboxylic acid esters derivatives	
Bioconcentration factor (BCF REACH)	189 - 30 days - Brachydanio rerio (zebra-fish) - OECD 305E
Partition coefficient n-octanol/water (Log Kow)	10
Bioaccumulative potential	Does not significantly accumulate in organisms.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
Single wall carbon nanotubes	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Fatty carboxylic acid esters derivatives	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations ►

13.1. Waste treatment methods

Regional legislation (waste)	: Dispose of this material and its container at hazardous or special waste collection point.
Waste treatment methods	: Disposal through controlled incineration or authorised waste dump.
Sewage disposal recommendations	: Prevent entry to sewers and public waters.
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information	: Clean up even minor leaks or spills if possible without unnecessary risk.
European List of Waste (LoW) code	: 06 13 99 - wastes not otherwise specified

SECTION 14: Transport information


In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 3077	UN 3077	UN 3077	UN 3077	UN 3077
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS : Alkylolammonium salt)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS : Alkylolammonium salt)	Environmentally hazardous substance, solid, n.o.s. (CONTAINS : Alkylolammonium salt)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS : Alkylolammonium salt)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS : Alkylolammonium salt)
Transport document description				
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS : Alkylolammonium salt), 9, III, (-)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS : Alkylolammonium salt), 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s. (CONTAINS : Alkylolammonium salt), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS : Alkylolammonium salt), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS : Alkylolammonium salt), 9, III
14.3. Transport hazard class(es)				
9	9	9	9	9

TUBALL MATRIX 205

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



14.4. Packing group

III	III	III	III	III
-----	-----	-----	-----	-----


14.5. Environmental hazards

Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
-------------------------------------	---	-------------------------------------	-------------------------------------	-------------------------------------

No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: M7
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: PP12, B3
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1, BK1, BK2, BK3
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAV, LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V13
Special provisions for carriage - Bulk (ADR)	: VC1, VC2
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	: 

Tunnel restriction code (ADR)	: -
EAC code	: 2Z

Transport by sea

Special provisions (IMDG)	: 274, 335, 966, 967, 969
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP02, P002
Special packing provisions (IMDG)	: PP12
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: BK1, BK2, BK3, T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW23

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y956
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 956
PCA max net quantity (IATA)	: 400kg
CAO packing instructions (IATA)	: 956

TUBALL MATRIX 205

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

CAO max net quantity (IATA) : 400kg
Special provisions (IATA) : A97, A158, A179, A197
ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M7
Special provisions (ADN) : 274, 335, 375, 601
Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, A
Number of blue cones/lights (ADN) : 0
Additional requirements/Remarks (ADN) : * Only in the molten state. ** For carriage in bulk see also 7.1.4.1. *** Only in the case of transport in bulk.

Rail transport

Classification code (RID) : M7
Special provisions (RID) : 274, 335, 375, 601
Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1
Packing instructions (RID) : P002, IBC08, LP02, R001
Special packing provisions (RID) : PP12, B3
Mixed packing provisions (RID) : MP10
Portable tank and bulk container instructions (RID) : T1, BK1, BK2, BK3
Portable tank and bulk container special provisions (RID) : TP33
Tank codes for RID tanks (RID) : SGAV, LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W13
Special provisions for carriage – Bulk (RID) : VC1, VC2
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31
Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

Reference code	Applicable on	Entry title or description
3(b)	Alkylolammonium salt	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Alkylolammonium salt	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

TUBALL MATRIX 205

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed
SZW-lijst van mutagene stoffen : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Switzerland

Storage class (LK) : LK 11/13 - Solids

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out

Single wall carbon nanotubes
Fatty carboxylic acid esters derivatives

SECTION 16: Other information

Abbreviations and acronyms:

CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
WGK	Water Hazard Class
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
EC-No.	European Community number
CAS-No.	Chemical Abstract Service number
vPvB	Very Persistent and Very Bioaccumulative
LC50	Median lethal concentration
PNEC	Predicted No-Effect Concentration
IARC	International Agency for Research on Cancer
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
DMEL	Derived Minimal Effect level
DIRM	Mass-based Dustiness Index
IATA	International Air Transport Association
DNEL	Derived-No Effect Level
LOAEL	Lowest Observed Adverse Effect Level
IMDG	International Maritime Dangerous Goods
EC50	Median effective concentration
LD50	Median lethal dose
NOAEC	No-Observed Adverse Effect Concentration
PBT	Persistent Bioaccumulative Toxic
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
STP	Sewage treatment plant
OECD	Organisation for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
BLV	Biological limit value
SDS	Safety Data Sheet
N.O.S.	Not Otherwise Specified
IOELV	Indicative Occupational Exposure Limit Value
EN	European Standard
VOC	Volatile Organic Compounds
OEL	Occupational Exposure Limit

Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2

TUBALL MATRIX 205

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Revision : All recent revision(s) are noted by a bold triangle pointed to right '►'.

Disclaimer : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. It is the user's responsibility to take mentioned precaution measures and ensure that this information is complete and sufficient for the use of this product.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.