

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : TUBALL MATRIX 814
Type of product : Nanoform embedded in a matrix

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Industrial use as additive in polymers, resins and/or coatings

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Europe:	USA:	Asia:	China:	India:
OCSiAl Europe S.a.r.l. L-3364, Leudelange, 1, rue de la Poudrerie, Grand Duchy of Luxembourg	OCSiAl LLC 500 S Front St., Suite 860, Columbus, OH 43215, USA	OCSiAl Asia Pacific Co., Ltd. Office 208, Pilot Plant Bldg., Incheon Technopark 12 Gaetbeol-ro, Yeonsu-gu, Incheon, 406-840 Republic of Korea	OCSiAl Hong Kong Limited No. 1102, 11/F, Lippo Sun Plaza, 28 Canton Road, Tsim Sha Tsui, Kowloon, Hong Kong	VIMAL INTERTRADE PVT LTD. Shivam Centrum, Sahar Road, Koldongri, Above Nexa Showroom, Andheri East, Mumbai – 400 069
T +352 27 99 03 73 09.00-17.00 GMT+2 europe@ocsial.com	T +1 415 906 5271 09.00-17.00 GMT-4 usa@ocsial.com	T +82 32 260 0407 09.00-17.00 GMT+9 asiapacific@ocsial.com	T +852 3575 3946 09:00-17:00; GMT+8 china@ocsial.com	T +91 22 6288 4200 09:00-17:00; GMT+5.5 india@ocsial.com

1.4. Emergency telephone number

EMEA : +44 1865 407333 (English) (Carechem 24)
East/South East Asia : +65 3158 1074 (English, Hindi, Japanese, Korean, Malay, Mandarin) (Carechem 24)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411
Full text of H- and EUH-statements: see section 16


Adverse physicochemical, human health and environmental effects

Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Warning
Hazard statements (CLP) : H319 - Causes serious eye irritation.
H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, eye protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P391 - Collect spillage.

2.3. Other hazards

No additional information available

TUBALL MATRIX 814

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures ►

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Epoxidized fatty acid glyceride	Trade Secret	73.5	Not classified
Poly(oxy-1,2-ethanediyl), a-hydro-w-hydroxy-, mono-C13-15-alkyl ethers, succinates	(CAS-No.) 162627-31-8	12.25 – 24.5	Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)
Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified	(CAS-No.) 64742-55-8 (EC-No.) 265-158-7 (REACH-No.) 01-2119487077-29	7.35 – 12.25	Asp. Tox. 1, H304 Carc. Not classified – Note L
Single wall carbon nanotubes*	(CAS-No.) Not assigned for EU-REACH (EC-No.) 943-098-9 (REACH-No.) 01-2120130006-75-0000	2	Eye Irrit. 2, H319

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

*Single wall carbon nanotubes TUBALL™

Name of (set of) nanoform(s)	Tuball™ - grades 1RW02 / 1RW03 are part of one set of nanoform
Value	-
Number based particle size distribution d10	1.2 - 1.45 nm
d50	1.6 - 1.8 nm
d90	1.9 - 2.2 nm
Shape and aspect ratio of particles	Elongated tubes; length to diameter ratio 2000 – 10000:1
Crystallinity	Amorphous
Surface functionalisation / treatment	No
Process	Chemical vapor deposition (CVD)
Specific surface area	300 – 1500 m ² /g
Additional information	G/D range : ≥ 40 (RAMAN at 532 nm)

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get medical attention.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Wash with plenty of soap and water.
First-aid measures after eye contact	: Get medical attention.
First-aid measures after ingestion	: Rinse mouth out with water. Drink plenty of water. Do not induce vomiting. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact	: Causes serious eye irritation.
------------------------------------	----------------------------------

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

TUBALL MATRIX 814

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Carbon dioxide (CO₂). Dry chemical.
Unsuitable extinguishing media : Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide (CO₂). Carbon monoxide. Acrolein.

5.3. Advice for firefighters

Protection during firefighting : Full face mask. Positive pressure self-contained breathing apparatus (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing.
Emergency procedures : Avoid contact with skin and eyes. Ensure adequate ventilation. Evacuate area.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye/face protection. In case of fire: Positive pressure self-contained breathing apparatus (SCBA).
Emergency procedures : Provide adequate ventilation. Evacuate area. Avoid inhalation of vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Collect contaminated extinguishing water separately and must not enter the sewage system.

6.3. Methods and material for containment and cleaning up

For containment : Clean spills promptly. Ventilate affected area. Stop leak if safe to do so.
Methods for cleaning up : Clear up rapidly by scoop or vacuum. Collect in closed container and remove to a safe place for disposal by burning.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing. Carry out operations in the open/under local exhaust/ventilation or with respiratory protection. Avoid breathing dust, fume. Take precautionary measures against static discharge.
Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities ►

Storage conditions : Store in dry, well-ventilated area. Keep container tightly closed.
Incompatible products : Strong oxidizing agents.
Storage temperature : > 10 °C
Heat and ignition sources : Keep away from open flames, hot surfaces and sources of ignition.
Information on mixed storage : Store away from water (including sewage plant).

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters ►

Epoxidized fatty acid glyceride

DNEL/DMEL (Workers)

Acute - systemic effects, dermal	10 mg/kg bodyweight/day
Acute - systemic effects, inhalation	70 mg/m ³
Long-term - systemic effects, dermal	1.7 mg/kg bodyweight/day

TUBALL MATRIX 814

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Long-term - systemic effects, inhalation	11.9 mg/m ³
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	5 mg/kg bodyweight/day
Acute - systemic effects, inhalation	17.5 mg/m ³
Acute - systemic effects, oral	5 mg/kg bodyweight/day
Long-term - systemic effects, oral	0.8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	2.8 mg/m ³
Long-term - systemic effects, dermal	0.8 mg/kg bodyweight/day
PNEC (Soil)	
PNEC soil	6.25 mg/kg dwt

Single wall carbon nanotubes	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	No hazard identified
Acute - systemic effects, inhalation	Low hazard (no threshold identified)
Acute - local effects, dermal	No hazard identified
Acute - local effects, inhalation	Low hazard (no threshold identified)
Long-term - systemic effects, dermal	No hazard identified
Long-term - local effects, dermal	No hazard identified
Long-term - local effects, inhalation	Low hazard (no threshold identified)
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	No hazard identified
Acute - systemic effects, inhalation	Low hazard (no threshold identified)
Acute - systemic effects, oral	No hazard identified
Acute - local effects, dermal	No hazard identified
Acute - local effects, inhalation	No hazard identified
Long-term - systemic effects, dermal	No hazard identified
Long-term - local effects, dermal	No hazard identified
Long-term - local effects, inhalation	No hazard identified
PNEC (Water)	
PNEC aqua (freshwater)	No hazard identified
PNEC aqua (marine water)	No hazard identified
PNEC (Sediment)	
PNEC sediment (freshwater)	No hazard identified
PNEC sediment (marine water)	No hazard identified
PNEC (Soil)	
PNEC soil	No hazard identified
PNEC (Oral)	
PNEC oral (secondary poisoning)	No potential to cause toxic effects if accumulated (in higher organisms) via the food chain
PNEC (STP)	
PNEC sewage treatment plant	No data available: testing technically not feasible

8.2. Exposure controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation.

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Respiratory protection.

Hand protection:

Chemically resistant protective gloves. EN 374

TUBALL MATRIX 814

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves, Disposable gloves	Nitrile rubber (NBR)	2 (> 30 minutes)			EN 374

Eye protection:

Chemical goggles or safety glasses. EN 166

Skin and body protection:

Protective clothing (with elasticated cuffs and closed neck). EN 14605

Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

Personal protective equipment symbol(s):



Environmental exposure controls:

Do not flush into surface water or sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties ►

Physical state	: Solid
Appearance	: Viscous. Paste.
Colour	: Black.
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 231 °C (Epoxidized fatty acid glyceride)
Auto-ignition temperature	: No data available
Decomposition temperature	: > 200 °C (Epoxidized fatty acid glyceride)
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive.
Oxidising properties	: Non oxidizing.

Single wall carbon nanotubes

Particle size	See section 3.2
Particle size distribution	See section 3.2
Particle shape	See section 3.2
Particle aspect ratio	See section 3.2
Particle aggregation state	Bundles of nanotubes
Particle agglomeration state	Single wall carbon nanotubes are embedded in a matrix
Particle specific surface area	See section 3.2
Particle dustiness	1660 mg/kg (DIRM - Single wall carbon nanotubes)

9.2. Other information

No additional information available

TUBALL MATRIX 814

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. Acrolein.

SECTION 11: Toxicological information ►

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Epoxidized fatty acid glyceride

LD50 oral rat > 5000 mg/kg bodyweight - OECD 401

LD50 dermal rabbit > 20000 mg/kg - OECD 402

Poly(oxy-1,2-ethanediyl), a-hydro-w-hydroxy-, mono-C13-15-alkyl ethers, succinates

LD50 oral rat > 4000 mg/kg - OECD 401

Skin corrosion/irritation : Not available

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not available

Germ cell mutagenicity : Not available

Carcinogenicity : Not classified

Additional information : Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified: Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

Reproductive toxicity : Not available

Single wall carbon nanotubes (7440-44-0)

NOAEL (animal/female, F0/P) > 1000 mg/kg bw/day - OECD 422

NOAEL (animal, F1) > 1000 mg/kg bw/day - for adverse effects on prenatal development (conceptus to birth) - OECD 422

NOAEL (animal, F1) > 1000 mg/kg bw/day - for adverse effects on postnatal development (pup) - OECD 422

STOT-single exposure : Not available

STOT-repeated exposure : Not available

Epoxidized fatty acid glyceride

NOAEL (oral, rat, 90 days) 1000 mg/kg bodyweight - OECD 422

Single wall carbon nanotubes

NOAEL (oral, rat, 90 days) > 1000 mg/kg bodyweight/day - OECD 422

Aspiration hazard : Not available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

TUBALL MATRIX 814

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Epoxidized fatty acid glyceride	
LC50 fish - 96h	450 mg/l <i>Leuciscus idus</i> (golden orfe)
EC50 crustacea - 48h	> 50 mg/l <i>Daphnia magna</i> (Water flea)
EC50 algae - 72h	8 mg/l <i>Desmodesmus subspicatus</i>

Poly(oxy-1,2-ethanediyl), a-hydro-w-hydroxy-, mono-C13-15-alkyl ethers, succinates	
LC50 fish - 96h	3.5 mg/l <i>Oncorhynchus mykiss</i> (Rainbow trout) - OECD 203
EC50 algae - 72h	> 0.78 mg/l <i>Selenastrum capricornutum</i> - OECD 201

12.2. Persistence and degradability

Epoxidized fatty acid glyceride	
Persistence and degradability	Readily biodegradable.
Biodegradation	92 % - 28 days - OECD 301B

12.3. Bioaccumulative potential

Epoxidized fatty acid glyceride	
Bioconcentration factor (BCF REACH)	375
Partition coefficient n-octanol/water (Log Pow)	≥ 6.2
Bioaccumulative potential	Bioaccumulation is not expected to occur.

Poly(oxy-1,2-ethanediyl), a-hydro-w-hydroxy-, mono-C13-15-alkyl ethers, succinates (162627-31-8)	
Partition coefficient n-octanol/water (Log Pow)	≥ 0.6 - OECD 107

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
Epoxidized fatty acid glyceride	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Poly(oxy-1,2-ethanediyl), a-hydro-w-hydroxy-, mono-C13-15-alkyl ethers, succinates	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Single wall carbon nanotubes	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations ►

13.1. Waste treatment methods

Regional legislation (waste)	: Dispose of this material and its container at hazardous or special waste collection point.
Waste treatment methods	: Disposal through controlled incineration or authorised waste dump.
Sewage disposal recommendations	: Prevent entry to sewers and public waters.
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information	: Clean up even minor leaks or spills if possible without unnecessary risk.
European List of Waste (LoW) code	: 06 13 99 - wastes not otherwise specified

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 3077	UN 3077	UN 3077	UN 3077	UN 3077
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: Acidic ester)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: Acidic ester)	Environmentally hazardous substance, solid, n.o.s. (CONTAINS: Acidic ester)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: Acidic ester)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: Acidic ester)

TUBALL MATRIX 814

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Transport document description

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: Acidic ester), 9, III, (-)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: Acidic ester), 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s. (CONTAINS: Acidic ester), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: Acidic ester), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS: Acidic ester), 9, III
--	--	--	---	---

14.3. Transport hazard class(es)

9	9	9	9	9

14.4. Packing group

III	III	III	III	III
-----	-----	-----	-----	-----

14.5. Environmental hazards


Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
--	--	--	--	--

No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: M7
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: PP12, B3
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1, BK1, BK2, BK3
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAV, LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V13
Special provisions for carriage - Bulk (ADR)	: VC1, VC2
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	:



Tunnel restriction code (ADR)	: -
EAC code	: 2Z

Transport by sea

Special provisions (IMDG)	: 274, 335, 966, 967, 969
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP02, P002
Special packing provisions (IMDG)	: PP12
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3

TUBALL MATRIX 814

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Tank instructions (IMDG) : BK1, BK2, BK3, T1
Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F
Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW23

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y956
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 956
PCA max net quantity (IATA) : 400kg
CAO packing instructions (IATA) : 956
CAO max net quantity (IATA) : 400kg
Special provisions (IATA) : A97, A158, A179, A197, A215
ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M7
Special provisions (ADN) : 274, 335, 375, 601
Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T* B**
Equipment required (ADN) : PP, A***
Number of blue cones/lights (ADN) : 0
Additional requirements/Remarks (ADN) : * Only in the molten state. ** For carriage in bulk see also 7.1.4.1. *** Only in the case of transport in bulk.

Rail transport

Classification code (RID) : M7
Special provisions (RID) : 274, 335, 375, 601
Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1
Packing instructions (RID) : P002, IBC08, LP02, R001
Special packing provisions (RID) : PP12, B3
Mixed packing provisions (RID) : MP10
Portable tank and bulk container instructions (RID) : T1, BK1, BK2, BK3
Portable tank and bulk container special provisions (RID) : TP33
Tank codes for RID tanks (RID) : SGAV, LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W13
Special provisions for carriage – Bulk (RID) : VC1, VC2
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31
Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

Reference code	Applicable on	Entry title or description
3(b)	Poly(oxy-1,2-ethanediyl), a-hydro-w-hydroxy-, mono-C13-15-alkyl ethers, succinates ; Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

TUBALL MATRIX 814

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3(c)	Poly(oxy-1,2-ethanediyl), a-hydro-w-hydroxy-, mono-C13-15-alkyl ethers, succinates	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
------	--	---

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Epoxidized fatty acid glyceride, Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified are listed

SZW-lijst van mutagene stoffen : Epoxidized fatty acid glyceride, Distillates (petroleum), hydrotreated light paraffinic; Baseoil — unspecified are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Switzerland

Storage class (LK) : LK 11/13 - Solids

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out

Single wall carbon nanotubes

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DIRM	Mass-based Dustiness Index
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-statements:

Aquatic Acute 1 : Hazardous to the aquatic environment — Acute Hazard, Category 1

TUBALL MATRIX 814

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

- Revision : All recent revision(s) are noted by a bold triangle pointed to right '►'.
- Disclaimer : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. It is the user's responsibility to take mentioned precaution measures and ensure that this information is complete and sufficient for the use of this product.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.