

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Product form : Mixture  
 Product name : TUBALL MATRIX 620  
 TUBALL MATRIX 620.1 beta  
 TUBALL MATRIX 620.2 beta  
 TUBALL MATRIX 620.3 beta  
 TUBALL MATRIX 620.4 beta  
 Type of product : Nanoform embedded in a matrix

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**1.2.1. Relevant identified uses**

Use of the substance/mixture : Industrial use as additive in polymers, resins and/or coatings

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet**

Europe:	USA:	Asia:	China:	India:
OCSiAI Europe S.a.r.l. L-3364, Leudelange, 1, rue de la Poudrerie, Grand Duchy of Luxembourg	OCSiAI LLC 500 S Front St., Suite 860, Columbus, OH 43215, USA	OCSiAI Asia Pacific Co., Ltd. Office 208, Pilot Plant Bldg., Incheon Technopark 12 Gaetbeol-ro, Yeonsu-gu, Incheon, 406-840 Republic of Korea	OCSiAI Hong Kong Limited No. 1102, 11/F, Lippo Sun Plaza, 28 Canton Road, Tsim Sha Tsui, Kowloon, Hong Kong	VIMAL INTERTRADE PVT LTD. Shivam Centrum, Sahar Road, Koldongri, Above Nexa Showroom, Andheri East, Mumbai – 400 069
T +352 27 99 03 73 09.00-17.00 GMT+2 europe@ocsial.com	T +1 415 906 5271 09.00-17.00 GMT-4 usa@ocsial.com	T +82 32 260 0407 09.00-17.00 GMT+9 asiapacific@ocsial.com	T +852 3575 3946 09:00-17:00; GMT+8 china@ocsial.com	T +91 22 6288 4200 09:00-17:00; GMT+5.5 india@ocsial.com

**1.4. Emergency telephone number**

**EMEA** : +44 1865 407333 (English) (Carechem 24)  
**East/South East Asia** : +65 3158 1074 (English, Hindi, Japanese, Korean, Malay, Mandarin) (Carechem 24)

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Serious eye damage/eye irritation, Category 2 H319  
 Full text of H statements : see section 16

**Adverse physicochemical, human health and environmental effects**

Causes serious eye irritation.

**2.2. Label elements**

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning  
 Hazard statements (CLP) : H319 - Causes serious eye irritation.  
 Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling.  
 P280 - Wear eye protection, protective clothing, protective gloves.  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 - If eye irritation persists: Get medical advice/attention.

**2.3. Other hazards**

No additional information available

# TUBALL MATRIX 620

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), solvent refined heavy paraffinic	(CAS-No.) 64741-88-4 (EC-No.) 265-090-8 (EC Index-No.) 649-454-00-7 (REACH-No.) 01-2119488706-23	76.26 – 85.5	Not classified – <b>Note L</b>
Polymer	Trade secret	9.5 – 16.74	Not classified
Single wall carbon nanotubes*	(CAS-No.) Not assigned for EU-REACH (EC-No.) 943-098-9 (REACH-No.) 01-2120130006-75-0000	5 – 10	Eye Irrit. 2, H319

**Note L** : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. Full text of H-statements: see section 16

*Single wall carbon nanotubes TUBALL™		
Name of (set of) nanoform(s)	Tuball™ - grades 1RW02 / 1RW03 are part of one set of nanoform	
Value	-	
Number based particle size distribution	d10	1.2 - 1.45 nm
	d50	1.6 - 1.8 nm
	d90	1.9 - 2.2 nm
Shape and aspect ratio of particles	Elongated tubes; length to diameter ratio 2000 – 10000:1	
Crystallinity	Amorphous	
Surface functionalisation / treatment	No	
Process	Chemical vapor deposition (CVD)	
Specific surface area	300 – 1500 m <sup>2</sup> /g	
Additional information	G/D range : ≥ 40 (RAMAN at 532 nm)	

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of soap and water. Take off immediately all contaminated clothing and wash it before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause moderate irritation, including burning sensation, tearing, redness or swelling.
Symptoms/effects after eye contact	: Causes serious eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# TUBALL MATRIX 620

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>). Dry powder. Foam.  
Unsuitable extinguishing media : None known.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : None known.  
Explosion hazard : None known.  
Hazardous decomposition products in case of fire : Carbon dioxide. Carbon monoxide.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing.  
Emergency procedures : Evacuate area. Ventilate spillage area.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Provide adequate ventilation. Evacuate area. Avoid inhalation of vapours.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Collect contaminated extinguishing water separately and must not enter the sewage system.

#### 6.3. Methods and material for containment and cleaning up

For containment : Clean spills promptly. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Ventilate affected area. Stop leak if safe to do so.  
Methods for cleaning up : Collect in closed container and remove to a safe place for disposal by burning. Absorb remaining liquid with sand or inert absorbent and remove to safe place. Clean spills promptly.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing. Avoid breathing dust/fume/gas/mist/vapours/spray. Carry out operations in the open/under local exhaust/ventilation or with respiratory protection.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Protect from sunlight.  
Storage temperature : -35 / +40 °C  
Heat and ignition sources : Keep away from open flames, hot surfaces and sources of ignition.  
Information on mixed storage : Store away from water (including sewage plant).  
Special rules on packaging : Keep container tightly closed.

#### 7.3. Specific end use(s)

No additional information available

# TUBALL MATRIX 620

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

<b>Distillates (petroleum), solvent-refined heavy paraffinic</b>	
<b>Belgium - Occupational Exposure Limits</b>	
Limit value (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (Mineral oil mist)
Short time value (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (Mineral oil mist)
<b>Bulgaria - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (Oil - mineral, petroleum)
<b>Czech Republic - Occupational Exposure Limits</b>	
Expoziční limity (PEL) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (Mineral oils, aerosol)
Expoziční limity (NPK-P) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (Mineral oils, aerosol)
<b>Denmark - Occupational Exposure Limits</b>	
Grænsevædi (8 timer) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> OLIETÅGE, MINERALOLIEPARTIKLER
<b>Finland - Occupational Exposure Limits</b>	
HTP-arvo (8h) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
<b>Greece - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (Paraffin oil mist)
<b>Hungary - Occupational Exposure Limits</b>	
MK-érték	5 mg/m <sup>3</sup> (Oil smog - mineral oil)
<b>Ireland - Occupational Exposure Limits</b>	
OEL (8 hours ref) (mg/m <sup>3</sup> )	0,2 mg/m <sup>3</sup> (Mineral oil used in metal working, inhalable fraction)
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (Oil mist, including smoke)
TPRV (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup> (Oil mist, including smoke)
<b>Netherlands - Occupational Exposure Limits</b>	
Grenswaarde TGG 8H (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
<b>Poland - Occupational Exposure Limits</b>	
NDS (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> Highly refined mineral oils with the exception of cutting fluids, inhalable fraction
<b>Portugal - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
<b>Romania - Occupational Exposure Limits</b>	
OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> Mineral oils
OEL STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> Mineral oils
<b>Slovakia - Occupational Exposure Limits</b>	
NPHV (priemerná) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> Liquid mineral oil mist, fumes
NPHV (priemerná) (ppm)	5 ppm Liquid mineral oil mist, fumes
OEL STEL (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup> Liquid mineral oil mist, fumes
OEL STEL (ppm)	15 ppm Liquid mineral oil mist, fumes
<b>Spain - Occupational Exposure Limits</b>	
VLA-ED (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
VLA-EC (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
<b>Sweden - Occupational Exposure Limits</b>	
nivågränsvärde (NVG) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
kortidsvärde (KTV) (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>
<b>Norway - Occupational Exposure Limits</b>	
Grenseverdier (AN) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>

# TUBALL MATRIX 620

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Distillates (petroleum), solvent-refined heavy paraffinic

#### DNEL/DMEL (Workers)

Long-term - local effects, inhalation	5.4 mg/m <sup>3</sup> - 8 Hours
---------------------------------------	---------------------------------

#### DNEL/DMEL (General population)

Long-term - local effects, inhalation	1.2 mg/m <sup>3</sup> - 24 Hours
---------------------------------------	----------------------------------

### Single wall carbon nanotubes

#### DNEL/DMEL (Workers)

Acute - systemic effects, dermal	No hazard identified
----------------------------------	----------------------

Acute - systemic effects, inhalation	Low hazard (no threshold identified)
--------------------------------------	--------------------------------------

Acute - local effects, dermal	No hazard identified
-------------------------------	----------------------

Acute - local effects, inhalation	Low hazard (no threshold identified)
-----------------------------------	--------------------------------------

Long-term - systemic effects, dermal	No hazard identified
--------------------------------------	----------------------

Long-term - local effects, dermal	No hazard identified
-----------------------------------	----------------------

Long-term - local effects, inhalation	Low hazard (no threshold identified)
---------------------------------------	--------------------------------------

#### DNEL/DMEL (General population)

Acute - systemic effects, dermal	No hazard identified
----------------------------------	----------------------

Acute - systemic effects, inhalation	Low hazard (no threshold identified)
--------------------------------------	--------------------------------------

Acute - systemic effects, oral	No hazard identified
--------------------------------	----------------------

Acute - local effects, dermal	No hazard identified
-------------------------------	----------------------

Acute - local effects, inhalation	No hazard identified
-----------------------------------	----------------------

Long-term - systemic effects, dermal	No hazard identified
--------------------------------------	----------------------

Long-term - local effects, dermal	No hazard identified
-----------------------------------	----------------------

Long-term - local effects, inhalation	No hazard identified
---------------------------------------	----------------------

#### PNEC (Water)

PNEC aqua (freshwater)	No hazard identified
------------------------	----------------------

PNEC aqua (marine water)	No hazard identified
--------------------------	----------------------

#### PNEC (Sediment)

PNEC sediment (freshwater)	No hazard identified
----------------------------	----------------------

PNEC sediment (marine water)	No hazard identified
------------------------------	----------------------

#### PNEC (Soil)

PNEC soil	No hazard identified
-----------	----------------------

#### PNEC (Oral)

PNEC oral (secondary poisoning)	No potential to cause toxic effects if accumulated (in higher organisms) via the food chain
---------------------------------	---

#### PNEC (STP)

PNEC sewage treatment plant	No data available: testing technically not feasible
-----------------------------	---

## 8.2. Exposure controls

### Personal protective equipment:

Safety glasses. Protective clothing. Gloves.

### Hand protection:

Chemically resistant protective gloves. EN 374. The suitability for a specific workplace should be discussed with the producers of the protective gloves

### Eye protection:

Safety glasses with side shields. EN 166

### Skin and body protection:

Wear suitable protective clothing. EN 14605

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment


# TUBALL MATRIX 620

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Device	Filter type	Condition	Standard
Gas filters	Type A-P2	If conc. in air > exposure limit	EN 140

### Personal protective equipment symbol(s):



### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Viscous. Paste.
Colour	: Black.
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: 350-500°C (Distillates (petroleum), solvent refined heavy paraffinic)
Flash point	: >220°C (Distillates (petroleum), solvent refined heavy paraffinic)
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: Non oxidizing.
Explosive limits	: Not applicable

### Single wall carbon nanotubes

Particle size	See section 3.2
Particle size distribution	See section 3.2
Particle shape	See section 3.2
Particle aspect ratio	See section 3.2
Particle aggregation state	Bundles of nanotubes
Particle agglomeration state	Single wall carbon nanotubes are embedded in a matrix
Particle specific surface area	See section 3.2
Particle dustiness	1660 mg/kg (DIRM - Single wall carbon nanotubes)

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# TUBALL MATRIX 620

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Thermal combustion may release carbon monoxide and dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

#### Distillates (petroleum), solvent refined heavy paraffinic

LD50 oral rat	> 5000 mg/kg bodyweight (OECD 401)
---------------	------------------------------------

LD50 dermal rabbit	> 5000 mg/kg (OECD 403)
--------------------	-------------------------

LC50 Inhalation - Rat	> 5 mg/l/4h (OECD 402)
-----------------------	------------------------

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Additional information : Distillates (petroleum), solvent-refined heavy paraffinic (CAS n. 64741-88-4): Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

Reproductive toxicity : Not classified

#### Single wall carbon nanotubes

NOAEL (animal/female, F0/P)	> 1000 mg/kg bw/day - OECD 422
-----------------------------	--------------------------------

NOAEL (animal, F1)	> 1000 mg/kg bw/day - for adverse effects on prenatal development (conceptus to birth) - OECD 422
--------------------	---

NOAEL (animal, F1)	> 1000 mg/kg bw/day - for adverse effects on postnatal development (pup) - OECD 422
--------------------	---

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

#### Single wall carbon nanotubes

NOAEL (oral, rat, 90 days)	> 1000 mg/kg bodyweight/day - OECD 422
----------------------------	--

Aspiration hazard : Not classified

#### TUBALL MATRIX 620 beta

Viscosity, kinematic	Not applicable
----------------------	----------------

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

#### Distillates (petroleum), solvent refined heavy paraffinic

LC50 fish - 96h	> 100 mg/l Pimephales promelas
-----------------	--------------------------------

EC50 crustacea - 48h	> 10000 mg/l Daphnia magna (Water flea)
----------------------	---

NOEC chronic fish	≥ 100 mg/l Pimephales promelas
-------------------	--------------------------------

NOEC chronic crustacea - 21 days	≥ 10000 Daphnia magna (Water flea)
----------------------------------	------------------------------------

NOEC chronic algae	≥ 100 mg/l Pseudokirchneriella subcapitata
--------------------	--

# TUBALL MATRIX 620

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 12.2. Persistence and degradability

#### Distillates (petroleum), solvent-refined heavy paraffinic (64741-88-4)

Biodegradation 31 % - 28 days - OECD 301B-301F

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### Component

Single wall carbon nanotubes	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Distillates (petroleum), solvent refined heavy paraffinic	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Polymer	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Disposal through controlled incineration or authorised waste dump.
Sewage disposal recommendations	: Prevent entry to sewers and public waters.
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information	: Clean up even minor leaks or spills if possible without unnecessary risk.
European List of Waste (LoW) code	: 06 13 99 - wastes not otherwise specified

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.2. UN proper shipping name</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated



# TUBALL MATRIX 620

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Rail transport

Not regulated

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:	
Reference code	Applicable on
3(b)	TUBALL MATRIX 620

Other information, restriction and prohibition regulations : EN 16143:2013 Petroleum products - Determination of content of Benzo(a)pyrene (BaP) and selected polycyclic aromatic hydrocarbons (PAH) in extender oils according to Annex XVII to the REACH Regulation (EC) No 1907/2006, entry 50:  
Benzo[a]pyrene (BaP): < 1mg/kg  
8 PAH (Polycyclic aromatic hydrocarbons): <10 mg/kg.

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

##### Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : Distillates (petroleum), solvent refined heavy paraffinic is listed

SZW-lijst van mutagene stoffen : Distillates (petroleum), solvent refined heavy paraffinic is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

### 15.2. Chemical safety assessment

<b>For the following substances of this mixture a chemical safety assessment has been carried out</b>
Single wall carbon nanotubes
Distillates (petroleum), solvent refined heavy paraffinic

## SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DIRM	Mass-based Dustiness Index
DMEL	Derived Minimal Effect level

# TUBALL MATRIX 620

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

### Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H319	Causes serious eye irritation.

- Revision : All recent revision(s) are noted by a bold triangle pointed to right '►'.
- Disclaimer : This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. It is the user's responsibility to take mentioned precaution measures and ensure that this information is complete and sufficient for the use of this product.

### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.